



www.okwenclosures.com

SMART-TERMINAL

THE NEW SOPHISTICATED ALUMINUM PROFILE ENCLOSURE FOR CENTRAL CONTROL UNITS





Materials and colors:

- Aluminum profile AlMgSi 0,5 matt anodized
 - Plastic parts ASA+PC-FR, UV resistant, color lava
- Designer seals
 TPV material, colors green or volcano gray



SMART-TERMINAL




Our new SMART-TERMINAL aluminum profile enclosures feature a highly quality matt anodized finish. These robust, elegant and highly attractive cases offer plenty of space for large-volume electronic assemblies, for example touch screens, display modules, PCBs etc. A variety of technical advantages, individual profile lengths on request, and creative designer options make the SMART-TERMINAL the last word in excellence for tough industrial display enclosures.



The new SMART-TERMINAL can be modified or finished individually to meet your requirements. Why not ask us! We are happy to assist you at any time.

*Designer seals and side covers





GEHÄUSE SYSTEME

Three basic enclosures with profile lengths 160 mm, 200 mm and 240 mm (6.299", 7.874", 9.449". Overall length with covers +1.654"), enclosure width 6.693". Designer seals available in green or volcano gray. Individual profile lengths to customer specifications on demand.

Designer seals molded in TPV material in volcano gray or green. Provide a visual highlight for these new table-top, sloping front and wall mount enclosures.



6

GRAPH

VALUE



Two options for PCB mounting: horizontal guides in the top profile and screw channels in the top profile.

Flat areas for easy installation of the interfaces . Recessed areas in the side covers protect the cables and connectors.



The SMART-TERMINAL as an embedded PC. With individual profile lengths, the sides can also be closed with matching aluminum panels (accessories).

ê

Ĩ

Applications:

- Peripheral and interface equipment
- Office
- Communications technology
- Safety engineering
- Biometrics
- Medical and laboratory technology
- Wellness
- Health Care
- Automation
- Measurement and control engineering

ê

Ø




The top part has a recessed area to protect membrane keypads or product labels. There is sufficient space here for operating elements, switches or displays.



Included in the range of accessories: system for concealed wall mounting as well as an enclosure canting kit – in landscape format – to allow an ergonomically favourable reading angle of 12 degrees.







On request, the seals and covers can be produced in other colors to create an individual design (200 units or more).

The SMART-TERMINAL is a robust, sealed enclosure. The roundcord seal required for this is included with the basic enclosure.

ORDERING INFORMATION FOR BASIC ENCLOSURE


COMPLETE VERSIONS				0	
Version	160 lava/green	160 lava/volcano	200 lava/green	200 lava/volcano	
Length (inches)	7.953	7.953	9.528	9.528	
Width (inches)	6.693	6.693	6.693	6.693	
Height (inches)	1.969	1.969	1.969	1.969	
Supply 1	Top profile	Top profile	Top profile	Top profile	
(1 pc) 2	Base profile	Base profile	Base profile	Base profile	
3	Assembly kit	Assembly kit	Assembly kit	Assembly kit	
4	Set of side covers	Set of side covers	Set of side covers	Set of side covers	
5	Set of designer seals 🔵	Set of designer seals	Set of designer seals 🔵	Set of designer seals	
Part-No.	B 34 07 011	B 34 07 012	B 34 07 021	B 34 07 022	
Version	240 lava/green	240 lava/volcano	160 Aluminum	200 Aluminum	240 Aluminum
Length (inches)	11.102	11.102	6.457	8.032	9.606
Width (inches)	6.693	6.693	6.693	6.693	6.693
Height (inches)	1.969	1.969	1.969	1.969	1.969
Supply 1	Top profile	Top profile	Top profile	Top profile	Top profile
(1 pc) 2	Base profile	Base profile	Base profile	Base profile	Base profile
3	Assembly kit	Assembly kit	Assembly kit	Assembly kit	Assembly kit
4	Set of side covers	Set of side covers	Side covers	Side covers	Side covers
5	Set of designer seals	Set of designer seals			
Part-No.	B 34 07 031	B 34 07 032	B 34 07 013	B 34 07 023	B 34 07 033
SMART-TERMINAL ACCESSORY	; ; ;		<u>т</u> Ц,		
Article	Wall suspension element	Case canting kit	Set of M3 square-head nuts	Torx T10 screwdriver	
Version/ Material and color	For secure and flush wall mounting of the enclosure. Aluminum AIMgSi 0,5 matt anodized	Cants the enclosure by 12° to provide an ergo- nomic angle for reading displays. Incl. 4x rubber feet in black. ASA+PC-FR, lava	4x M3 square-head nuts. For mounting PCBs using M3 screws in the T-groove in the base profile.	Torx 10, with ergonomic handle, for assembling the enclosures.	
Application	Suitable for all types of SMART-TERMINAL	Suitable for all types of SMART-TERMINAL	Suitable for all types of SMART-TERMINAL	Suitable for all types of SMART-TERMINAL	
Part-No.	B 35 07 020	B 35 07 030	B 35 00 001	A 03 99 T10	



INDIVIDUAL PARTS FOR INDIVIDUAL ENCLOSURE DESIGN

It is possible to order your SMART-TERMINAL in a special length to suit your PCBs and electronics. Simply provide us with the profile length you require, and select the appropriate enclosure parts from the system components listed below. We will then supply your complete custom size enclosures.







www.okwenclosures.com

Manufacturer

Odenwälder Kunststoffwerke Gehäusesysteme GmbH Friedrich-List-Str. 3 D-74722 Buchen

Tel. +49 (0) 62 81 / 4 04-00 Fax +49 (0) 62 81 / 4 04-144 EMail Info@okw.com Web www.okw.com

Presented by OKW Enclosures Inc. 3000 Old Pond Road Bridgeville PA 15017

USA

Toll Free(800) 9 65 98 72Telephone(412) 2 20 92 44E-Mailsales@okwenclosures.comWebwww.okwenclosures.com

Turtle © by OKW Gehäusesysteme, Buchen. This leaflet will be valid until the new catalog is issued, latest 31.12.2018. Subject to technical modification without notice. Typographical and other errors do not justify any claim for damages. 02.2018us.